# 2014 COSTvsVALUE

www.costvsvalue.com





# **Project Descriptions**

### Midrange

#### ATTIC BEDROOM REMODEL

Convert unfinished attic space to a 15-by-15-foot bedroom and a 5-by-7-foot bathroom with shower. Include a 15-foot shed dormer, four new windows, and closet space under the eaves. Insulate and finish ceiling and walls. Carpet floor. Extend existing HVAC to new space; provide electrical wiring and lighting to code. Retain existing stairs, but add rail and baluster around stairwell.

#### **BACKUP POWER GENERATOR**

Install modular electrical backup system with capacity for providing 70 amps of emergency power in two 240-volt circuits and six 120-volt circuits. Assume existing propane gas supply. Include generator mounted on 2-by-4-four-foot concrete or composite pad, automatic transfer switch, load center, exterior disconnect, and grounding rod. Include 30 feet of conduit and electrical cable for generator connections; grounded cable for circuits; 5 feet of flexible fuel line for connection to existing rigid gas supply line; and automotive-type storage battery.

#### **BASEMENT REMODEL**

Finish the lower level of a house to create a 20-by-30-foot entertaining area with wet bar and a 5-by-8-foot full bathroom; construct 24 linear feet of finished partition to enclose mechanical area. Walls and ceilings are painted drywall throughout; exterior walls are insulated; painted trim throughout. Include five six-panel factory-painted hardboard doors with passage locksets. Electrical wiring to code.

*Main room:* Include 15 recessed ceiling light fixtures and three surface-mounted light fixtures, and a snap-together laminate flooring system.

Bathroom: Include standard white toilet, vanity with cultured marble top, resilient vinyl flooring, two-piece fiberglass shower unit, a light/fan combination, vanity light fixture, recessed medicine cabinet, towel and

paper-holder hardware.

*Bar area:* Include 10 linear feet of raised-panel oak cabinets with laminate countertops, stainless steel bar sink, single-lever bar faucet, undercounter refrigerator, and vinyl floor tile.

#### **BATHROOM ADDITION**

Add a full 6-by-8-foot bathroom over a crawlspace with poured concrete walls. Include cultured-marble vanity top with molded sink; standard chrome faucets; 30-by-60-inch white fiberglass tub/shower with ceramic tile surround; single-lever temperature and pressure-balanced faucet; white low-profile toilet; general and spot lighting; electrical wiring to code; mirrored medicine cabinet; linen storage closet or cabinet; vinyl wallpaper; painted trim; and ceramic tile floor.

#### **BATHROOM REMODEL**

Update an existing 5-by-7-foot bathroom. Replace all fixtures to include 30-by-60-inch porcelain-on-steel tub with 4-by-4-inch ceramic tile surround; new single-lever temperature and pressure-balanced shower control; standard white toilet; solid-surface vanity counter with integral sink; recessed medicine cabinet with light; ceramic tile floor; vinyl wallpaper.

#### **DECK ADDITION (WOOD)**

Add a 16-by-20-foot deck using pressure-treated joists supported by 4x4 posts anchored to concrete piers. Install pressure-treated deck boards in a simple linear pattern. Include a built-in bench and planter of the same decking material. Include stairs, assuming three steps to grade. Provide a complete railing system using pressure-treated wood posts, railings, and balusters.

#### **DECK ADDITION (COMPOSITE)**

Add a 16-by-20-foot deck using pressuretreated joists supported by 4x4 posts anchored to concrete piers. Install composite deck material in a simple linear pattern. Include a built-in bench and planter of the same decking material. Include stairs, assuming three steps to grade. Provide a complete railing using a matching system made of the same composite as the decking material.

# ENTRY DOOR REPLACEMENT (STEEL)

Remove existing 3-0/6-8 entry door and jambs and replace with new 20-gauge steel unit, including clear dual-pane half-glass panel, jambs, and aluminum threshold with composite stop. Door is factory finished with same color both sides. Exterior brick-mold and 2.5-inch interior colonial or ranch casings in poplar or equal prefinished to match door color. Replace existing lockset with new bored-lock in brass or antique-brass finish.

### ENTRY DOOR REPLACEMENT (FIBERGLASS)

Remove existing 3-0/6-8 entry door and jambs and replace with new fiberglass unit with simulated wood grain, stained same color both sides; dual-pane, decorative half-glass panel with zinc caming; PVC-wrapped exterior trim in color to match existing trim; 2.5-inch interior colonial or ranch casings in hardwood stained to match door. Replace existing lockset with mortise lock with lever handle and integrated deadbolt in oil-rubbed bronze or satin-nickel finish.

#### **FAMILY ROOM ADDITION**

In a style appropriate to the existing house, add a 16-by-25-foot room on a crawlspace foundation with vinyl siding and fiberglass shingle roof. Include drywall interior with fiberglass insulation, pre-finished hardwood floor, and 180 square feet of glazing including windows, atrium-style exterior doors, and two operable skylights. Tie into existing HVAC. Add electrical system to code, including 12 recessed ceiling lights.

#### **GARAGE ADDITION**

Construct a 26-by-26-foot freestanding two-car garage, including footings and slab-on-grade foundation, 2x4 wood frame with



### Project Descriptions continued

OSB structural sheathing, and gable truss roof at 6/12 pitch. Install 25-year asphalt shingle roofing with galvanized metal flashing; vinyl siding and trim. Install five double-hung 30-by-48-inch vinyl windows; one 3-0/6-8 exterior door with half-glass and lockset; and two composite 9-by-8-foot overhead doors with motorized openers. Include 100-amp breaker at main house panel and 50 linear feet of trench buried conduit to feed new electrical subpanel. Provide electrical wiring for openers; three-way switching for fluorescent ceiling fixtures over each bay; three-way switching for two exterior spotlights; outlets to code. Interior wall, floors, and ceilings remain unfinished.

#### **GARAGE DOOR REPLACEMENT**

Remove and dispose of existing 16-by-7-foot garage door and tracks. Install new 4-section garage door on new galvanized steel tracks; reuse existing motorized opener. New door is uninsulated, single-layer, embossed steel with two coats of baked-on paint, galvanized steel hinges, and nylon rollers; 10-year limited warranty.

#### **HOME OFFICE REMODEL**

Convert an existing 12-by-12-foot room to a home office. Install custom cabinets to include 20 linear feet of laminate desktop, computer workstation, and wall cabinet storage. Rewire room for computer, fax machine, and other electronic equipment, as well as cable and telephone lines. Include drywall interior, painted trim, and commercial-grade carpeting.

#### **MAJOR KITCHEN REMODEL**

Update an outmoded 200-square-foot kitchen with a functional layout of 30 linear feet of semi-custom wood cabinets, including a 3-by-5-foot island; laminate countertops; and standard double-tub stainless-steel sink with standard single-lever faucet. Include energy-efficient wall oven, cooktop, ventilation system, built-in microwave, dishwasher, garbage disposal, and custom lighting. Add new resilient flooring. Finish with painted walls, trim, and ceiling.

#### **MASTER SUITE ADDITION**

Add a 24-by-16-foot master bedroom suite over a crawlspace. Include walk-in closet/dressing area, whirlpool tub in ceramic tile platform, separate 3-by-4-foot ceramic tile shower, and double-bowl vanity with solid-surface countertop. Bedroom floor is carpet; bathroom floor is ceramic tile. Painted walls, ceiling, and trim. General and spot lighting, exhaust fan; electrical wiring to code.

#### **MINOR KITCHEN REMODEL**

In a functional but dated 200-square-foot kitchen with 30 linear feet of cabinetry and countertops, leave cabinet boxes in place but replace fronts with new raised-panel wood doors and drawers, including new hardware. Replace wall oven and cooktop with new energy-efficient models. Replace laminate countertops; install midpriced sink and faucet. Repaint trim, add wall covering, and remove and replace resilient flooring.

#### **ROOFING REPLACEMENT**

Remove existing roofing to bare wood sheathing and dispose of properly. Install 30 squares of 235-pound fiberglass asphalt shingles (min. 25-year warranty) with new felt underlayment, galvanized drip edge, and mill-finish aluminum flashing. Assume a 5-square hip roof; custom flashing at two average-size skylights; and custom cap treatment at vented ridge.

#### SIDING REPLACEMENT

Replace 1,250 square feet of existing siding with new vinyl siding, including all trim.

#### **SUNROOM ADDITION**

Construct a 200-square-foot sunroom addition, including footings and slab-ongrade foundation. Post-and-beam framing exposed on interior side. Wall glazing: vinyl or aluminum clad awning and casement windows with low-E, laminated or tempered glazing and screens. Roof glazing: 10 large aluminum-clad venting skylights with screens. Provide ceiling fan; insulate all nonglass areas; provide movable shades for glass area. Quarry tile or equal on floor.

#### **TWO-STORY ADDITION**

Add a first-floor family room and a secondfloor bedroom with full bathroom in a 24-by-16-foot two-story wing over a crawlspace. Add new HVAC system to handle addition; electrical wiring to code.

Family room: Include a prefabricated gas fireplace; 11 3-by-5-foot double-hung insulated clad-wood windows; an atrium-style exterior door; carpeted floors; painted drywall on walls and ceiling; and painted trim.

Bathroom: 5 by 8 feet. Include a one-piece fiberglass tub/shower unit; standard white toilet; wood vanity with solid-surface countertop; resilient vinyl flooring; and mirrored medicine cabinet with built-in light strip; papered walls; and painted trim; exhaust fan. Bedroom: Include walk-in closet/dressing area; carpet; painted walls, ceiling, and trim; general and spot lighting.

#### WINDOW REPLACEMENT (VINYL)

Replace 10 existing 3-by-5-foot double-hung windows with insulated vinyl replacement windows. Wrap existing exterior trim as required to match. Do not disturb existing interior trim.

#### WINDOW REPLACEMENT (WOOD)

Replace 10 existing 3-by-5-foot double-hung windows with insulated wood replacement windows, exterior clad in vinyl or aluminum. Wrap existing exterior trim as required to match. Do not disturb existing interior trim.

### Upscale

#### **BATHROOM ADDITION**

Add a new 100-square-foot master bathroom to existing master bedroom over a crawlspace. Include 42-by-42-inch neo-angle shower with ceramic tile walls with accent strip, recessed shower caddy, body-spray fixtures, and frameless glass enclosure. Include a customized whirlpool tub; stone countertop with two sinks; two mirrored medicine cabinets with lighting; a compartmentalized commode area with one-piece toilet; and a humidistat-controlled exhaust fan. Use all color fixtures. Use larger matching ceramic tiles on the floor, laid on the diagonal with ceramic tile base molding.



### Project Descriptions continued

Add general and spot lighting including waterproof shower fixture. Cabinetry shall include a custom drawer base and wall cabinets for a built-in look. Extend HVAC system, and include electric in-floor heating and heated towel bars.

#### **BATHROOM REMODEL**

Expand an existing 35-square-foot bathroom to 100 square feet within existing house footprint. Relocate all fixtures. Include 42-by-42-inch neo-angle shower with ceramic tile walls with accent strip, recessed shower caddy, body-spray fixtures, and frameless glass enclosure. Include a customized whirlpool tub; stone countertop with two sinks; two mirrored medicine cabinets with lighting; a compartmentalized commode area with one-piece toilet; and a humidistatcontrolled exhaust fan. Use all color fixtures. Use larger matching ceramic tiles on the floor, laid on the diagonal with ceramic tile base molding. Add general and spot lighting including waterproof shower fixture. Cabinetry shall include a custom drawer base and wall cabinets for a built-in look. Extend HVAC system, and include electric in-floor heating and heated towel bars.

#### **DECK ADDITION (COMPOSITE)**

Add a 16-by-20-foot deck using pressuretreated joists supported by 4x4 posts anchored to concrete piers. At one corner, add a second, 10-foot-diameter six-sided platform one step down from the main deck. Include stairs on the smaller deck, assuming three steps to grade. Install composite deck material in a simple linear pattern. Trim the perimeter joists and wrap the 4x4 posts with composite materials to match the decking. Using the same decking material, include a built-in bench and planter along one 16-foot side. On the remaining perimeter, provide a railing system using composite material of contrasting or complementary colors that includes decorative balusters, post caps, and lighting. Railing and trim should provide for overall curb appeal to the outdoor living space by integrating the deck with the home's color and architecture, creating a custom look.

#### **GARAGE ADDITION**

For the same midrange two-car garage, add interior wall finish using moisture-resistant drywall on ceiling and three walls. At rear wall, install modular storage systems including wall panels, upper and lower storage cabinets with work surfaces, and required task lighting. Trim all windows and doors and provide base molding at perimeter; paint all trim, ceiling, and walls. Finish cement floor with color, slip-resistant epoxy sealer.

#### **GARAGE DOOR REPLACEMENT**

Remove and dispose of existing 16x7-foot garage door and tracks. Install new 4-section garage door on new heavy-duty galvanized steel tracks; reuse existing motorized opener. New door is high tensile strength steel with two coats of factory-applied paint and foam insulated to minimum R-12 with thermal seals between pinch-resistant panels. Windows in top panel are ½-inch insulated glass. Hardware includes galvanized steel hinges and ball-bearing urethane rollers. Lifetime warranty.

#### **GRAND ENTRANCE (FIBERGLASS)**

Remove existing 3-0/6-8 entry door and cut and reframe opening for a 12-36-12 entrance door with dual sidelites. Move double-gang electrical box with two switches. Fiberglass door blank matches upscale entry, including color, threshold, lockset, and decorative halfglass; sidelites match door. PVC-wrapped exterior trim in color to match existing trim; wider interior colonial or ranch casings (3.5-inch to cover new jack studs) in hardwood stained to match door. All work to be completed in one day.

#### **MAJOR KITCHEN REMODEL**

Update outmoded 200-square-foot kitchen with 30 linear feet of top-of-the-line custom cherry cabinets with built-in sliding shelves and other interior accessories. Include stone countertops with imported ceramic- or glasstile backsplash; built-in refrigerator, cooktop, and 36-inch commercial grade range and vent hood; built-in warming drawer, trash compactor, and built-in combination microwave and convection oven. Install high-end undermount sink with designer

faucets and built-in water filtration system. Add new general and task lighting including low-voltage undercabinet lights. Install cork flooring, cherry trim.

#### **MASTER SUITE ADDITION**

Add a 32-by-20-foot master bedroom suite over a crawlspace.

Bedroom: Add a spacious sleeping area with lounging/sitting area adjacent to large master bathroom. Include custom bookcases and built-in storage with millwork details; high-end gas fireplace with stone hearth and custom mantle; and large walk-in closet/ dressing area with natural light, mirrors, and linen storage. Add French doors to exterior. Bathroom: Include a large walk-in shower with dual-shower system, stone shower walls and floor, and custom frameless glass enclosure. Add corner-design whirlpool tub bordered on two sides by windows and built into granite or marble platform with custom cabinet front. Include two sinks in separate custom vanities with stone countertops and large mirrors. Create partitioned area for luxury one-piece toilet.

General: Add 5-foot-long hospitality center with bar sink, undercounter refrigerator, custom cabinetry, granite or marble countertop, and microwave. Include soundproofing, in-floor heating, custom wall finishes and hardware, general and spot lighting, and lighting controls.

#### **ROOFING REPLACEMENT**

Remove existing roofing to bare wood sheathing and dispose of properly. Install 30 squares of standing-seam metal, formed on site into 16-inch panels using factory-enameled roll steel; double-lock all seams. Use custom brake-bent flashing from same material for drip edge and all flashing at roof-wall intersections. Assume a 5-square hip roof; custom flashing at two average-sized skylights; and custom cap treatment at vented ridge. Apply over new felt underlayment; use ice-and-water membrane at eaves, valleys, and all penetrations.



### Project Descriptions continued

# SIDING REPLACEMENT (FIBER-CEMENT)

Replace 1,250 square feet of existing siding with new fiber-cement siding, factory primed and factory painted. Include all 4/4 and 5/4 trim using either fiber-cement boards or cellular PVC.

### SIDING REPLACEMENT (FOAM-BACKED VINYL)

Replace 1,250 square feet of existing

siding with new foam-backed vinyl siding, including factory trim at all openings and corners.

#### WINDOW REPLACEMENT (VINYL)

Replace 10 existing 3-by-5-foot double-hung windows with insulated, low-E, simulated-divided-lite vinyl windows. Simulated woodgrain interior finish; custom-color exterior finish. Trim exterior to match existing; do not disturb existing interior trim.

#### **WINDOW REPLACEMENT (WOOD)**

Replace 10 existing 3-by-5-foot double-hung windows with insulated, low-E, simulated-divided-lite wood windows. Interior finish of stained hardwood; exterior finish of custom-color aluminum cladding. Trim exterior to match existing; do not disturb existing interior trim.

# **Reuse and Licensing of Data**

#### **COPYRIGHTED MATERIAL**

The Remodeling Cost vs. Value Report contains copyrighted material that is being made available in free downloadable PDF documents as a public service. Any reuse without express permission is prohibited, including but not limited to the following:

- 1. RESALE. The Cost vs. Value Report, whether in whole or part, may not be reproduced and sold in any format, including print, digital, electronic file, fax, or other medium.
- 2. PUBLICATION OF DATA. The Cost vs. Value Report, whether in whole or part, may not be distributed or published in any format, including print, digital, electronic file, fax, or other medium without obtaining express permission.
- 3. APPLICATIONS/SOFTWARE. The Cost vs. Value Report, whether in whole or part, may not be incorporated for use in any kind of computer- or Web-based application, calculator, database, or other automated, electronic, or digital device, instrument, or software except as licensed by Hanley Wood (see Licensing, below).

#### **EXCERPTING COST VS. VALUE REPORT DATA**

Excerpts of Cost vs. Value Report data may not take the form of a chart or table that simulates the manner in which the data is displayed at www.costvsvalue.com.

Excerpts of Cost vs. Value Report data may, however, be made as part of a narrative, provided that the sum total of all excerpts from any publisher in all formats does not exceed data from more than five projects.

#### **ACKNOWLEDGING COST VS. VALUE AS DATA SOURCE**

When excerpting Cost vs. Value Report data, refer to the "Remodeling 2014 Cost vs. Value Report" and include the URL www. costvsvalue.com, as in the following examples:

- "... according to the Remodeling 2014 Cost vs. Value Report (www.costvsvalue.com) ..."
- "... as compiled in the Remodeling 2014 Cost vs. Value Report (www.costvsvalue.com) ...."

This form of citation should be used in the first instance on every page of a multipage online story that cites the Cost vs. Value Report on multiple pages. Subsequent references on a given page may be foreshortened to "Cost vs. Value Report."

All excerpts must be accompanied by one or more instances of the following acknowledgements of copyright:

"© 2014 Hanley Wood, LLC. Complete data from the Remodeling 2014 Cost vs. Value Report can be downloaded free at www. costvsvalue.com."

#### **LICENSING OF 2014 COST VS. VALUE REPORT DATA**

For permission to license data from the 2014 Cost vs. Value Report for use in any kind of computer- or Web-based application, calculator, database, or other automated, electronic, or digital device, instrument, or software, include the following in an email request to costvsvaluepermissions@hanleywood.com

- a description of the application, calculator, or device for which use of the data is being requested. Include the length of time for which the license is sought.
- a detailed description of the material to be licensed (e.g., specific projects, cities, etc.).

# Denver, CO

This document contains copyrighted material and is not authorized for display on the Internet or for republication in any media for resale.



CONFIDENCE LEVEL: 95% +/-1.96%

PROJECT TYPE	DENVER				MOUNTAIN			2014 NATIONAL AVERAGES		
MIDRANGE	Job Cost	Resale Value	Cost Recouped	Job Cost	Resale Value	Cost Recouped	Job Cost	Resale Value	Cost Recouped	
Attic Bedroom Remodel	\$48,664	\$46,253	95.0%	\$47,266	\$39,113	83.0%	\$49,438	\$41,656	84.3%	
Backup Power Generator	11,717	6,574	56.1%	11,454	6,298	55.0%	11,742	7,922	67.5%	
Basement Remodel	62,131	49,082	79.0%	59,808	48,426	81.0%	62,834	48,777	77.6%	
Bathroom Addition	37,646	18,534	49.2%	36,604	20,527	56.0%	38,186	22,940	60.1%	
Bathroom Remodel	15,894	9,456	59.5%	15,393	9,844	64.0%	16,128	11,688	72.5%	
Deck Addition (wood)	9,556	8,133	85.1%	9,300	7,510	81.0%	9,539	8,334	87.4%	
Deck Addition (composite)	15,322	11,401	74.4%	15,113	10,923	72.0%	15,437	11,476	74.3%	
Entry Door Replacement (steel)	1,148	919	80.1%	1,133	994	88.0%	1,162	1,122	96.6%	
Entry Door Replacement (fiberglass)	2,810	1,714	61.0%	2,792	1,965	70.0%	2,822	1,997	70.8%	
Family Room Addition	79,592	69,688	87.6%	77,193	52,134	68.0%	80,765	55,540	68.8%	
Garage Addition	49,405	32,989	66.8%	48,573	32,386	67.0%	49,911	34,598	69.3%	
Garage Door Replacement	1,523	1,164	76.0%	1,485	1,190	80.0%	1,534	1,283	83.7%	
Home Office Remodel	27,839	12,476	44.8%	27,023	12,676	47.0%	28,000	13,697	48.9%	
Major Kitchen Remodel	54,394	40,426	74.3%	53,170	38,156	72.0%	54,909	40,732	74.2%	
Master Suite Addition	101,608	75,358	74.0%	99,375	63,663	64.0%	103,844	70,121	67.5%	
Minor Kitchen Remodel	18,606	15,543	83.5%	18,215	14,448	79.0%	18,856	15,585	82.7%	
Roofing Replacement	18,499	12,468	67.4%	17,888	11,585	65.0%	18,913	12,777	67.6%	
Siding Replacement (vinyl)	11,312	9,000	79.6%	10,986	8,723	79.0%	11,475	8,975	78.2%	
Sunroom Addition	72,584	41,330	56.9%	71,269	34,424	48.0%	73,546	38,011	51.7%	
Two-Story Addition	153,017	136,713	89.3%	150,546	103,939	69.0%	155,365	111,579	71.8%	
Window Replacement (vinyl)	9,862	8,100	82.1%	9,680	7,298	75.0%	9,978	7,857	78.7%	
Window Replacement (wood)	10,816	8,632	79.8%	10,599	8,124	77.0%	10,926	8,662	79.3%	
UPSCALE	Job Cost	Resale Value	Cost Recouped	Job Cost	Resale Value	Cost Recouped	Job Cost	Resale Value	Cost Recouped	
Bathroom Addition	\$71,628	\$40,857	57.0%	\$70,217	\$42,231	60.0%	\$72,538	\$43,936	60.6%	
Bathroom Remodel	50,841	30,843	60.7%	50,026	30,305	61.0%	51,374	32,660	63.6%	
Deck Addition (composite)	34,740	21,760	62.6%	34,028	22,316	66.0%	35,158	22,881	65.1%	
Garage Addition	81,248	51,945	63.9%	79,716	45,842	58.0%	82,311	48,065	58.4%	
Garage Door Replacement	2,793	2,479	88.8%	2,731	2,255	83.0%	2,791	2,315	82.9%	
Grand Entrance	7,255	5,438	75.0%	7,201	4,873	68.0%	7,305	5,163	70.7%	
Major Kitchen Remodel	109,127	77,137	71.0%	107,524	65,234	61.0%	109,935	69,973	63.6%	
Master Suite Addition	221,746	146,382	66.0%	218,440	124,618	57.0%	224,989	125,920	56.0%	
Roofing Replacement	30,269	21,923	72.4%	30,973	19,830	64.0%	34,495	21,731	63.0%	
Siding Replacement (fiber-cement)	13,250	13,560	102.3%	12,788	11,857	93.0%	13,378	11,645	87.0%	
Siding Replacement (foam-backed vinyl)	14,028	12,358	88.1%	13,720	11,445	83.0%	14,236	11,124	78.1%	
Window Replacement (vinyl)	13,270	10,686	80.5%	13,151	9,877	75.0%	13,385	10,252	76.6%	
Window Replacement (wood)	16,682	12,975	77.8%	16,511	12,114	73.0%	16,798	12,438	74.0%	

©2014 Hanley Wood, LLC. Republication or dissemination of Remodeling's 2014 Cost vs. Value Report is expressly prohibited without the written permission of Hanley Wood, LLC. "Cost vs. Value" is a registered trademark of Hanley Wood, LLC. Unauthorized use is prohibited.

# 2014 COSTvsVALUE



The 2014 Remodeling Cost vs. Value Report has been brought to you thanks to the following companies.







### VISUALIZE YOUR DREAM HOME Siding + Trim + Soffit + Fascia + Custom Color Palette = infinite possibilities



Your home is the most important place on earth. So don't let anything compromise it. Ask for James Hardie® siding. Unlike vinyl siding, it gives a home the character and beauty of wood, while resisting rotting and cracking.





# Yes, we care...









### ...about adding value and beauty to your home.

The ProVia name represents the company's focus on professional-class products, and reinforces its commitment to delivering unmatched levels of quality and customer satisfaction. Our exterior product portfolio includes brands like Signet Fiberglass Doors, Legacy Steel Doors, Prestige Patio Doors, Aeris Windows, Heartland Siding and Heritage Stone. Our goal is to serve you, by caring for details in ways others won't. We're building our products and our company to last a lifetime. That's The Professional Way.

Visit www.proviaproducts.com to find out how you can experience The Professional Way.



Doors | Windows | Siding | Stone





# Classic-Craft® Premium Entryways

Extraordinary in every detail.

An inspired blend of precision engineering and architectural character produce an entryway that performs as exceptionally as it looks.

View all five unique entryway collections.

www.thermatru.com/products/entry/fiberglass-entry-doors



THERMA TRU